

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
5 June 2003 (05.06.2003)

PCT

(10) International Publication Number
WO 03/045704 A2

(51) International Patent Classification⁷: **B44C 1/00**

(21) International Application Number: **PCT/US02/30170**

(22) International Filing Date:
23 September 2002 (23.09.2002)

(25) Filing Language: **English**

(26) Publication Language: **English**

(30) Priority Data:
09/996,006 28 November 2001 (28.11.2001) **US**

(63) Related by continuation (CON) or continuation-in-part (CIP) to earlier application:
US 09/996,006 (CON)
Filed on 28 November 2001 (28.11.2001)

(71) Applicant (for all designated States except US): **DECO-PAC, INC.** [US/US]; 5736 Main Street, Minneapolis, MN 55432 (US).

(72) Inventors; and

(75) Inventors/Applicants (for US only): **CANDLER, Andrew** [GB/GB]; 47 The Avenue, Morpeth, Northumberland NE61 2DF (GB). **RUSSELL, John** [GB/GB]; 11 Westlea, Bedlington, Northumberland NE22 6DX (GB). **WOODHOUSE, James, F.** [GB/GB]; 18 Blueburn Drive, Simonside Park, Killingworth, Tyne & Wear NE12 6FZ (GB). **WRIGHT, Angela** [GB/GB]; 176 Newbiggin Road,

Ashington, Northumberland NE63 0TL (GB). **MET-CALFE, Denise** [GB/GB]; 2 Ashington Farm Cottage, Wansbeck Road, Ashington NE63 8TN (GB).

(74) Agent: **GWIN, H., Sanders, Jr.**; Fish & Richardson P.C., P.A., 60 South Sixth Street, Suite 3300, Minneapolis, MN 55402 (US).

(81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

(84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

— without international search report and to be republished upon receipt of that report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: **TRANSFER PRINTING PROCESS WITH EDIBLE INKS**

(57) Abstract: A decorating kit including a transfer sheet having printed thereon a substantially non-tacky layer of an edible ink. The ink may be used in a transfer printing process for forming an image layer on a surface of an edible article. The transfer process includes providing a transfer sheet with a substantially non-tacky layer of an edible ink thereon; contacting the layer of edible ink with the surface of the edible article; and removing the transfer sheet such that the ink releases therefrom and forms an image layer on the surface of the edible article.

WO 03/045704 A2

BEST AVAILABLE COPY

TRANSFER PRINTING PROCESS WITH EDIBLE INKS

TECHNICAL FIELD

The present invention relates to decorated food articles and methods for making them. More particularly, the invention relates to an edible ink composition, as well as a transfer printing process for making a decorated food article with the ink composition.

BACKGROUND

Since early times cooks have decorated food articles to make them more appetizing and appealing to the consumer. For example, an exposed surface of a confection such as a cake, a cookie, or candy often includes multicolored edible decorations. To make these decorations, coloring agents may be sprayed or squirted by hand onto the surface of the confection. The time, difficulty and expense of the hand application process limits its use to small numbers of expensive bakery goods, and makes it impractical and/or impossible for the home cook to use hand decoration techniques on home-baked confections.

The mass-market appeal of movie, television, and sports has created a demand for confections and other food articles with multi-colored decorations bearing the likenesses of media figures. Bakeries, supermarkets and other food retailers have used increasingly sophisticated printing techniques to create these images on food articles.

For example, in a screen printing process, positive images are created from an artwork design. Using this positive image, printing screens are exposed and developed to include a negative image of the artwork design. A first color of an edible ink is then printed through the screen and onto a surface of a substrate, typically an icing layer or a sugar sheet, to form an image layer on the surface of the substrate. This step is repeated, one color at a time, until the multi-colored image is formed on the surface of the substrate. If the substrate is a sugar sheet, the surface of the sheet opposite the image layer may then be adhered to an icing on the food article. In a similar technique, a first color of an edible ink may be applied to a pad of an automatic pad transfer printer. The pad is then contacted with a hard, non-porous surface of an icing layer on a confection to

form an image layer thereon. This step is repeated, one color at a time, until a multi-colored image layer is formed.

In the alternative, the artwork may be electronically scanned and the image file downloaded to an ink jet printer having a cartridge filled with at least one edible ink. The
5 ink jet printer then applies the ink to a surface of a substrate, which may be a sugar sheet or an icing on a confection, to form an image layer thereon.

These techniques are much more efficient than a hand decorating process, and have made possible the creation of larger numbers of high-quality decorated food articles for purchase by a consumer. However, these techniques are relatively slow and unsuited
10 for high volume production.

In addition, screen, pad transfer and ink jet printing techniques are complex and require a significant investment in printing equipment, so they are used principally by large volume bakeries and supermarkets, and are not useful for the home food decorator. The screen, pad transfer and ink jet printing techniques require careful control of the
15 hardness and porosity of the printed surface to prevent running and smearing of the ink. Home decoration of confections is typically not conducted under such carefully controlled conditions, so the resulting images formed using these techniques would be expected to be of inconsistent quality.

In an attempt to make screen, pad transfer or ink jet printed substrates available to
20 the home decorator, edible substrates may be prepared by screen or ink jet printing and sold to the consumer for application to a food article. However, the substrates, typically sugar sheets, are brittle and break easily during transit and handling by the consumer.

SUMMARY

In one aspect, the invention is a decorating kit for use in transfer printing an icing
25 on a surface of an edible article such as a cake, candy and the like. The decorating kit includes a transfer sheet having printed thereon a substantially non-tacky layer of an edible ink.

In a second aspect, the invention is an edible ink that is capable of being used in a transfer printing process. When a transfer sheet with a substantially non-tacky layer of
30 the edible ink is contacted with an icing on an edible article, the ink softens, becomes

flowable, releases from the transfer sheet and transfers to the surface of the icing to form an image layer thereon.

In a third aspect, the invention is a transfer printing process for forming an image layer on an icing on a surface of an edible article. In this process a transfer sheet with a substantially non-tacky layer of an edible ink is contacted with an icing on an edible
5 article. The transfer sheet is then removed, and the edible ink transfers to the icing to form an image layer thereon.

In a fourth aspect, the invention is an edible article having thereon an image layer of the edible ink.

10 The transfer sheets of the invention provide a low cost technique for forming an image layer of an edible ink on an icing on a surface of an edible article. Since the edible ink layer on the transfer sheet is non-tacky, the image layer may be transferred with substantially less smearing and running than in conventional printing techniques. The image layer may be formed on a wide variety of icings, which makes the transfer
15 technique convenient for a home decorating project.

The process of the invention also provides rapid transfer of the ink layer from the transfer sheet to form an image layer on an icing on the edible article. This rapid transfer allows a supermarket, bakery or other high volume shop to produce an increased number of imaged edible articles compared with conventional printing techniques.

20 The details of one or more embodiments of the invention are set forth in the description below. Other features, objects, and advantages of the invention will be apparent from the description, and from the claims.

DETAILED DESCRIPTION

In a first aspect, the invention is a decorating kit for use in decorating an edible
25 article. The transfer sheet includes a transfer sheet having applied on at least one surface thereof a layer of an edible ink.

The transfer sheet used in the home decorating kit may vary widely depending on the intended application, and any material suitable for contact with foods may be used. The materials used for the transfer sheet should be substantially free of leachable non-
30 food grade chemicals that could potentially contaminate an edible article or the edible ink.

Suitable materials for the transfer sheet include papers having thereon a coating of a plastic or a wax. Papers coated with polypropylene are preferred.

The edible inks of the invention may vary widely in composition depending on the characteristics of the surface of the transfer sheet, which typically has a dyne level of
5 between about 20 and about 60, the characteristics of the surface of the edible article, the required drying time, and the like. The edible ink applied to the transfer sheet should be suitable for human consumption, and should preferably comply with applicable standards such as FD&C regulations in the United States and E.E.C. standards in the European Union.

10 At least one film former should be included in the edible ink of the invention at a concentration sufficient to allow the ink to "skin" rapidly. A preferred edible ink composition includes about 15% by weight to about 25% by weight, preferably about 20% by weight, of the film former. Preferred film formers include gums such as gum acacia, locust bean gum, guar gum, and methyl cellulose. Other suitable film formers
15 include gelatins, carrageenan, pectin, purified shellacs, methocel and hydroxypropylmethylcellulose. Gum acacia is particularly preferred for printing on icings.

To further assist in rapid drying and film formation, the edible ink includes about 0.1% by weight to about 5% by weight, preferably less than about 1% by weight, and
20 more preferably about 0.2% by weight, of a non-aqueous drying agent. Suitable examples include alcohols, such as ethanol and isopropanol.

The edible ink further includes about 0.5% by weight to about 10% by weight, preferably about 2% by weight to about 5% by weight of a humectant. Suitable humectants include glycerin, sorbitol, and mannitol.

25 The edible ink also includes about 5% by weight to about 15% by weight, preferably about 10% by weight to about 12% by weight, of an emulsifier, a stabilizer and/or a thickening agent. Suitable emulsifiers include lecithin, polyoxyethylene sorbitan monostearate, crillet, and crillet Veg A, sold under the trade designation TWEEN, and suitable stabilizers and/or thickeners include xanthan gum, sorbitol, and starches, such as
30 maize starch, corn starch and potato starch.

The edible ink composition of the invention may further include about 0.1% by weight to about 5% by weight, preferably about 2% by weight, of a sweetener. Suitable sweeteners include sorbitol, glucose, dextrose, and aspartame. Sorbitol is particularly preferred.

5 The edible ink of the invention further includes about 2 % by weight to about 50 % by weight of a pigment. Any known pigment approved for human consumption may be used, including, for example, carmoisine, quinoline, ponceau 4R, blue 1, vegetable carbon, blue V, blue 2, titanium dioxide, and FD&C pigments such as yellow 5, red 3, red 40, blue 1, and blue 2.

10 The edible inks of the invention are typically dispersed in water and the resulting ink composition is applied to the transfer sheet to form at least one ink layer. The edible ink formulation adheres to the receptive image and forms an ink layer thereon. Multiple ink layers may be used to form an image, and these ink layers will be referred to herein for convenience as the ink layer. The edible ink formulation may be applied in any
15 suitable printing apparatus or process. For example, printing processes that may be used include silk screen, wet offset, lithographic blanket transfer, flexographic Anolux roller transfer, letter press rotary relief plate, web print, reel to reel, and gravure. Suitable printing apparatus include dry offset printers available from Heidelberg Druckmaschinen AG, Heidelberg, Germany, A.B. Dick-Itek Limited, Middlesex, England and Sakurai
20 Machinery, Koto-ku, Tokyo, Japan.

 The ink layer, which typically is applied on the transfer sheet at a thickness of about 4 microns to about 6 microns, should be formulated so as to be capable of quickly forming a substantially non-tacky ink layer on the transfer sheet at room temperature in air. This prevents inadvertent running and/or smearing and facilitates the use of the ink'
25 composition in a high volume production process. The term substantially non-tacky as used herein refers to an ink layer that feels dry when touched. Substantially non-tacky ink layers can be achieved after the ink-bearing transfer sheet has been dried for about 5-15 minutes at room temperature (about 20 °C to about 22 °C) and at humidity levels of between about 50 % and 55 %. If necessary in a high volume application, heat may
30 optionally be used to reduce drying time.

In the process of the invention, the transfer sheet is applied to a surface of an edible article such that the ink layer on the transfer sheet contacts a portion of the surface of the edible article. The surfaces on which the edible ink layer may be applied may vary widely, and may include any surface with sufficient strength and suitable surface characteristics to accept transfer of the ink layer. Examples include icings on confections such as cakes, cupcakes, muffins, doughnuts, cookies and the like, as well as chocolates and candy coatings.

When the ink layer is contacted with the surface of an edible article, the ink layer softens and becomes flowable, typically after about 20 seconds. Once the ink becomes flowable, the transfer sheet may be removed. As the transfer sheet is peeled away, the ink releases substantially completely from the transfer sheet and transfers to the surface of the edible article to form an image layer thereon. The transfer takes about 20 seconds when conducted at a temperature of between about 20 °C and about 22 °C and at humidity levels of between about 50 % and about 55 %. Under these conditions, the print is typically fully released from the transfer sheet.

To enhance transfer speed and efficiency, the surface of the edible article is generally moistened with any suitable wetting agent, such as, for example, water.

If the surface of the edible article is non-porous, once the transfer sheet is removed the ink layer dries to form a colorfast and brilliantly colored image layer on the surface. However, if the surface is porous, such as, for example, a cake icing, the flowable ink penetrates and is absorbed into the porous surface. Following this penetration step, at least a portion of the image layer lies beneath the surface. This provides an image layer that is particularly resistant to smearing and bleeding during the drying process. Once the transfer sheet is removed, the drying process generally is completed in about 5 to about 15 minutes when conducted at room temperature.

The printing process of the invention may be a part of any known process for making an edible article. Once an edible article is formed and baked or otherwise processed, a coating is applied to the article, such as an icing, chocolate, a hard coating or the like. An image layer may then be formed on a portion of an exposed surface of the coating using the process described above.

The invention will now be described with reference to the following non-limiting example.

EXAMPLE

5 About 3 g of sorbitol, 3 g of maize starch, 20 g of gum acacia, and 62 g of water were placed in a stainless steel vessel and mixed for one minute with a hand held electric blender. About 1 g each of the following soluble pigments were added and blended until dissolved: quinoline for yellow, blue 1 for blue, and carmoisine for red. About 3 g of an insoluble black pigment, vegetable carbon, were added to the vessel and blended until
10 dispersed. About 10 g of lecithin were added to the vessel and blended for 5 minutes. About 3 g of glycerine, 0.38 g of xanthan gum, and 0.3 g of propylene glycol were added and blended until dissolved. The entire mixture was then passed through a two tier jar mill at 25 rpm, and this step was repeated as necessary until a uniform dispersion was obtained. The resulting ink composition is shown in Table 1 below.

15

Table 1

Component	Concentration (% by weight)
Water	61.91-69.77
Gum acacia	19.70-23.0
Lecithin	0-11.25
Sorbitol	2.25-4.0
Glycerine	2.25-3.6
Maize Starch	2.11-3.0
Xanthan Gum	0.28-0.4
Glycol	0.22-0.3

The ink composition was sprayed on a 175 to 300 micron thick polypropylene coated transfer sheet. The ink dried to a substantially non-tacky finish at room
20 temperature in about 10 minutes to form a 6 micron thick ink layer. The transfer sheet was applied to a cake having royal icing, such that the ink layer contacted the icing layer. Following a period of 20 seconds at room temperature, the transfer sheet was peeled

away. The ink layer transferred completely to the icing to form an image layer thereon. The image layer dried in about 10 minutes to form a 4-color design.

A number of embodiments of the invention have been described. Nevertheless, it will be understood that various modifications may be made without departing from the spirit and scope of the invention. Accordingly, other embodiments are within the scope of
5 the following claims.

WHAT IS CLAIMED IS:

1. A decorating kit comprising a transfer sheet having printed thereon a substantially non-tacky layer of an edible ink.
2. The decorating kit of claim 1, wherein the transfer sheet is selected from the group consisting of wax coated paper and plastic coated paper.
3. The decorating kit of claim 2, wherein the plastic coated paper is a polypropylene coated paper.
4. An edible ink comprising a film former, an emulsifier, a humectant and a drying agent.
5. The ink of claim 4, wherein the film former is selected from the group consisting of gums, methyl cellulose, gelatin, carrageenan, pectin, shellac, methocel and hydroxypropylmethylcellulose.
6. The ink of claim 4, wherein the emulsifier is selected from the group consisting of lecithin, polyoxyethylene, crillet, and crillet Veg A.
7. The ink of claim 4, wherein the humectant is selected from the group consisting of glycerin, sorbitol and mannitol.
8. The ink of claim 4, wherein the drying agent is selected from the group consisting of alcohols.
9. The ink of claim 4, further comprising a pigment.
10. An ink composition comprising water, a pigment, about 15% by weight to about 25% by weight of a film former, about 10% by weight to about 15% by weight of an emulsifier, about 0.5% by weight to about 5% by weight of a humectant, and less than about 1% by weight of a non-aqueous drying agent, with the total of 100% by weight.

11. The ink composition of claim 10, wherein the film former is selected from the group consisting of gum acacia, locust bean gum, guar gum, methyl cellulose, gelatin, carrageenan, pectin, shellac, methocel and hydroxypropylmethylcellulose.
12. The ink composition of claim 10, wherein the emulsifier is selected from the group consisting of lecithin, polyoxyethylene, crillet, and crillet Veg A.
13. The ink composition of claim 10, wherein the humectant is selected from the group consisting of glycerin, sorbitol and mannitol.
14. The ink composition of claim 10, wherein the drying agent is selected from the group consisting of alcohols and propylene glycol.
15. A transfer printing process for forming an image layer on a surface of an edible article, comprising:
 - (a) providing a transfer sheet with a substantially non-tacky layer of an edible ink thereon;
 - (b) contacting the layer of edible ink with the surface of the edible article; and
 - (c) removing the transfer sheet such that the ink releases therefrom and forms an image layer on the surface of the edible article.
16. The transfer printing process of claim 15, wherein the edible ink comprises a pigment, about 15% by weight to about 25% by weight of a film former, about 10% by weight to about 15% by weight of an emulsifier, about 0.5% by weight to about 5% by weight of a humectant, and less than about 1% by weight of a non-aqueous drying agent, with the total of 100% by weight.
17. The transfer printing process of claim 15, further comprising the step of applying a wetting agent to the surface of the edible article prior to step (b).
18. The transfer printing process of claim 15, wherein a portion of the image layer lies beneath the surface of the edible article.

19. The transfer printing process of claim 15, further comprising drying the image layer.
20. An edible article comprising an image layer on a surface, wherein the image layer is applied with the transfer printing process of claim 15.
21. A decorating kit comprising a transfer sheet having printed thereon a substantially non-tacky layer of an edible ink, wherein the ink is capable of releasing from the transfer sheet and forming an image layer on a surface of an edible article.
- 5
22. The decorating kit of claim 21, wherein the edible ink comprises a pigment, about 20% by weight of a film former, about 12% by weight of an emulsifier, about 2% by weight of a humectant, and less than about 1% by weight of a non-aqueous drying agent, with the total of 100% by weight.
- 10
23. The decorating kit of claim 22, wherein the ink comprises about 0.2% by weight of the drying agent.
24. A process for making a decorated edible article, comprising:
- (a) providing an edible article;
 - 15 (b) applying a coating to a surface of the edible article;
 - (c) contacting the coating with a substantially non-tacky ink layer on a transfer sheet; and
 - (d) removing the transfer sheet such that the ink releases therefrom and forms an image layer on the coating.

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
5 June 2003 (05.06.2003)

PCT

(10) International Publication Number
WO 2003/045704 A3

(51) International Patent Classification⁷: **B44C 1/17, 1/16,**
B41M 3/12, A23G 3/28, C09D 11/00

Ashington, Northumberland NE63 0TL (GB). MET-
CALFE, Denise [GB/GB]; 2 Ashington Farm Cottage,
Wansbeck Road, Ashington NE63 8TN (GB).

(21) International Application Number:
PCT/US2002/030170

(74) Agent: **GWIN, H., Sanders, Jr.**; Fish & Richardson P.C.,
P.A., 60 South Sixth Street, Suite 3300, Minneapolis, MN
55402 (US).

(22) International Filing Date:
23 September 2002 (23.09.2002)

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU,
AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU,
CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH,
GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC,
LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW,
MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG,
SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ,
VC, VN, YU, ZA, ZM, ZW.

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
09/996,006 28 November 2001 (28.11.2001) US

(84) Designated States (*regional*): ARIPO patent (GH, GM,
KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW),
Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM),
European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE,
ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, SK,
TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ,
GW, ML, MR, NE, SN, TD, TG).

(63) Related by continuation (CON) or continuation-in-part
(CIP) to earlier application:
US 09/996,006 (CON)
Filed on 28 November 2001 (28.11.2001)

Published:
— with international search report
— before the expiration of the time limit for amending the
claims and to be republished in the event of receipt of
amendments

(71) Applicant (*for all designated States except US*): DECO-
PAC, INC. [US/US]; 5736 Main Street, Minneapolis, MN
55432 (US).

(88) Date of publication of the international search report:
12 February 2004

(72) Inventors; and

(75) Inventors/Applicants (*for US only*): **CANDLER,**
Andrew [GB/GB]; 47 The Avenue, Morpeth, Northum-
berland NE61 2DF (GB). **RUSSELL,** John [GB/GB]; 11
Westlea, Bedlington, Northumberland NE22 6DX (GB).
WOODHOUSE, James, F. [GB/GB]; 18 Blueburn Drive,
Simonside Park, Killingworth, Tyne & Wear NE12 6FZ
(GB). **WRIGHT,** Angela [GB/GB]; 176 Newbiggin Road,

*For two-letter codes and other abbreviations, refer to the "Guid-
ance Notes on Codes and Abbreviations" appearing at the begin-
ning of each regular issue of the PCT Gazette.*

(54) Title: **TRANSFER PRINTING PROCESS WITH EDIBLE INKS**

(57) Abstract: A decorating kit including a transfer sheet having printed thereon a substantially non-tacky layer of an edible ink. The ink may be used in a transfer printing process for forming an image layer on a surface of an edible article. The transfer process includes providing a transfer sheet with a substantially non-tacky layer of an edible ink thereon; contacting the layer of edible ink with the surface of the edible article; and removing the transfer sheet such that the ink releases therefrom and forms an image layer on the surface of the edible article.

WO 2003/045704 A3

INTERNATIONAL SEARCH REPORT

International Application No
PCT/US 02/30170

A. CLASSIFICATION OF SUBJECT MATTER
IPC 7 B44C1/17 B44C1/16 B41M3/12 A23G3/28 C09D11/00

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
IPC 7 B44C B41M A23G C09D

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the International search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, PAJ

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
E	WO 02 085995 A (WRIGHT ANGELA ; CANDLER ANDREW (GB); RUSSELL JOHN (GB); DECOPAC INC) 31 October 2002 (2002-10-31) page 7, line 25 - page 8, line 28 claim 37	1-3,15, 17-21,24
X	-----	
A	WO 95 01735 A (STEWART DOUGLAS ROBERT) 19 January 1995 (1995-01-19) page 4, line 12 - line 20 page 5, line 3 - line 17 page 10, line 3 - page 11, line 19 ----- -/-	1 2,3, 15-24

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents:

- "A" document defining the general state of the art which is not considered to be of particular relevance
- "E" earlier document but published on or after the international filing date
- "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- "O" document referring to an oral disclosure, use, exhibition or other means
- "P" document published prior to the international filing date but later than the priority date claimed

- "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- "&" document member of the same patent family

Date of the actual completion of the international search

5 September 2003

Date of mailing of the international search report

18.12.03

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Patosuo, S.

INTERNATIONAL SEARCH REPORT

International Application No
PCT/US 02/30170

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	GB 2 186 782 A (BIGIN MARKETING LIMITED) 26 August 1987 (1987-08-26) page 1, line 65 - line 67 page 2, line 14 - line 32 page 2, line 53 - line 59	1
A	page 1, line 65 - line 84	2,3, 15-24
A	----- US 4 578 273 A (KRUBERT GEORGE J) 25 March 1986 (1986-03-25) column 1, line 59 - line 64 column 3, line 53 - column 4, line 64	1-3, 15-24
A	----- US 5 435 840 A (HILBORN G ROLAND) 25 July 1995 (1995-07-25) column 2, line 16 - line 27 -----	1-3, 15-24

INTERNATIONAL SEARCH REPORT

International application No.
PCT/US 02/30170

Box I Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)

This International Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. ☐ Claims Nos.:
because they relate to subject matter not required to be searched by this Authority, namely:
2. ☐ Claims Nos.:
because they relate to parts of the International Application that do not comply with the prescribed requirements to such an extent that no meaningful International Search can be carried out, specifically:
3. ☐ Claims Nos.:
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)

This International Searching Authority found multiple inventions in this international application, as follows:

see additional sheet

1. ☐ As all required additional search fees were timely paid by the applicant, this International Search Report covers all searchable claims.
2. ☐ As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. ☐ As only some of the required additional search fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid, specifically claims Nos.:
4. ☒ No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:

1-3, 15-24

Remark on Protest

☐ The additional search fees were accompanied by the applicant's protest.

☐ No protest accompanied the payment of additional search fees.

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

This International Searching Authority found multiple (groups of) inventions in this international application, as follows:

1. claims: 1-3, 15-24

Independent claims 1 and 21 define a decoration kit comprising a transfer sheet having printed thereon a substantially non-tacky layer of an edible ink.

Independent claim 15 defines a transfer printing process comprising the following steps:

- (a) providing a transfer sheet with a substantially non-tacky layer of an edible ink thereon;
- (b) contacting the layer of edible ink with the surface of the edible article; and
- (c) removing the transfer sheet such that the ink releases therefrom and forms an image layer on the surface of the edible article.

Independent claim 20 defines an edible article comprising an image layer on a surface, wherein the image layer is applied with the transfer printing process of claim 15.

Independent claim 24 defines a process for making a decorated edible article, comprising the following steps:

- (a) providing an edible article;
- (b) applying a coating to a surface of the edible article;
- (c) contacting the coating with a substantially non-tacky ink layer on a transfer sheet; and
- (d) removing the transfer sheet such that the ink releases therefrom and forms an image layer on the coating.

2. claims: 4-14

Independent claim 4 defines an edible ink comprising a film former, an emulsifier, a humectant and a drying agent.

Independent claim 10 defines an ink composition comprising water, a pigment, about 15% by weight to about 25% by weight of a film former, about 10% by weight to about 15% by weight of an emulsifier, about 0.5% by weight to about 5% by weight of a humectant, and less than about 1% by weight of a non-aqueous drying agent, with the total of 100% by weight.

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/US 02/30170

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
WO 02085995	A	31-10-2002	US 2002152927 A1	24-10-2002
			WO 02085995 A1	31-10-2002
WO 9501735	A	19-01-1995	US 6616958 B1	09-09-2003
			AU 7218894 A	06-02-1995
			CA 2166715 A1	19-01-1995
			EP 0789518 A1	20-08-1997
			WO 9501735 A1	19-01-1995
			US 6652897 B1	25-11-2003
			US 6319530 B1	20-11-2001
			US 2003161913 A1	28-08-2003
			US 2003198719 A1	23-10-2003
			US 2003198720 A1	23-10-2003
			US 2001005522 A1	28-06-2001
GB 2186782	A	26-08-1987	NONE	
US 4578273	A	25-03-1986	CA 1187322 A1	21-05-1985
US 5435840	A	25-07-1995	US 5006362 A	09-04-1991

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☒ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.